

Big Flower CBD LLC

1308 Douglas Ave
Minneapolis, MN 55403
bigflowercbd@gmail.com
(612) 325-7474

Sample: 2201AIT0007.0012

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 01/12/2022; Report Created: 01/17/2022

Everyday tincture

Topical, Lotion



0.014%
8.3 mg/container
Total THC

1.699%
995.3 mg/container
Total CBD

1.761%
1031.7 mg/container
Total Cannabinoids

Cannabinoids Date Tested: 01/13/2022

Analytes	%	mg/g	LOQ
CBC	0.016	0.16	0.001
CBD	1.699	16.99	0.001
CBDa	<LOQ	<LOQ	0.001
CBDV	0.016	0.16	0.001
CBG	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	0.001
CBN	0.016	0.16	0.001
Δ8-THC	<LOQ	<LOQ	0.001
Δ9-THC	0.014	0.14	0.001
THCa	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	0.001

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

Not Tested Residual Solvents	Not Tested NT Terpenes	Not Tested Pesticides
Not Tested Mycotoxins	Not Tested Heavy Metals	Not Tested Moisture

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




Ben Gaboury

Senior Analytical Chemist

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.